



Developing Next Generation Programmed T Cell Therapies

January 2022



Disclaimer

These slides and the accompanying oral presentation contain forward-looking statements within the meaning of the "safe harbor" provisions of the Private Securities Litigation Reform Act of 1995. Forward-looking statements are statements that are not historical facts, and in some cases can be identified by terms such as "may," "will," "could," "expects," "plans," "anticipates," and "believes." These statements include, but are not limited to, statements regarding Autolus' development of the obe-cel program; the future clinical development, efficacy, safety and therapeutic potential of its product candidates, including progress, expectations as to the reporting of data, conduct and timing and potential future clinical activity and milestones; and expectations regarding the initiation, design and reporting of data from clinical trials. Any forward-looking statements are based on management's current views and assumptions and involve risks and uncertainties that could cause actual results, performance, or events to differ materially from those expressed or implied in such statements. These risks and uncertainties include, but are not limited to, the risks that Autolus' preclinical or clinical programs do not advance or result in approved products on a timely or cost effective basis or at all; the results of early clinical trials are not always being predictive of future results; the cost, timing and results of clinical trials; that many product candidates do not become approved drugs on a timely or cost effective basis or at all; the ability to enroll patients in clinical trials; possible safety and efficacy concerns; and the impact of the ongoing COVID-19 pandemic on Autolus' business. For a discussion of other risks and uncertainties, and other important factors, any of which could cause Autolus' actual results to differ from those contained in the forward-looking statements, see the section titled "Risk Factors" in Autolus' Annual Report on Form 20-F filed with the Securities and Exchange Commission on March 4, 2021, as well as discussions of potential risks, uncertainties, and other important factors in Autolus' subsequent filings with the Securities and Exchange Commission. All information contained herein is as of the date of the presentation, and Autolus undertakes no obligation to publicly update any forward-looking statement, whether as a result of new information, future events, or otherwise, except as required by law. You should, therefore, not rely on these forward-looking statements as representing the Company's views as of any date subsequent to the date of this presentation.



LEAD CLINICAL PROGRAM

obe-cel

For treatment of B-ALL and B-NHL

Driving value with potential best-in-class adult ALL program

Multiple clinical data read-outs in 2022


**Focused on delivering
obe-cel, a potentially
transformational treatment
for Adult ALL**

Data for obe-cel (FELIX)
trial in adult ALL expected
in 2022

obe-cel data in B-NHL
indications in H1 2022

Next generation
AUTO1/22 data in
pALL in H1 2022

- Additional value steps in T cell lymphoma and first solid tumor indication in 2022 and 2023
- Broad preclinical pipeline of next generation programs expected to transition to clinical stage in 2022
- Building on a scalable, fully enclosed manufacturing platform



Adult Acute Lymphoblastic Leukemia

obe-cel — Potential as a standalone therapy

High unmet need for adult ALL patients

Successful therapy requires high level of activity and sustained persistence paired with good tolerability

**ALL is a
significant
opportunity**

Up to **8,400**¹ new cases of adult ALL diagnosed yearly worldwide

Estimated R/R patients in US & EU **3,000** addressable patient population in last line setting

HIGH UNMET MEDICAL NEED

- Combination chemotherapy enables 90% of adult ALL patients to experience CR, but only 30% to 40% will achieve long-term remission
- Median overall survival is < 1 year in r/r adult ALL
- Only redirected T cell therapies for adult patients are blinatumomab and brexucabtagene autoleucel
- CAR T therapies are highly active, but require subsequent allograft to achieve durability
- Patients are generally more fragile with co-morbidities, yet CAR T toxicities in this setting have been notable with high incidences of severe CRS and cases of fatal neurotoxicity
- Opportunity to expand the addressable patient population in earlier lines of therapy

Obe-cel granted Orphan Drug designation by FDA for B-ALL, Prime designation in R/R B-ALL by EMA And ILAP designation by MHRA in Adult R/R B-ALL

NOTES

1. SEER and EUCAN estimates (respectively) for US and EU epi

Unmet medical need in r/r adult ALL despite approved agents

Current standard of care and recently approved agents in r/r adult ALL

	Standard of Care		Recently FDA approved
	Blincyto ¹	Besponsa ²	Tecartus ³
N	271	109	54
ORR (CR & CRi) (95% CI)	44% (38%, 50%)	81% (72%, 88%)	65% (51%, 77%)
EFS/PFS	31% @ 6m ~10% @ 18m	~45% @ 6m ~20% @ 18m	~65% @ 6m ~25% @ 18m
median DoR (95% CI)	7.3m (5.8, 9.9)	4.6m (3.9, 5.4)	13.6m (8.7, NE)
median OS (95% CI)	7.7m (5.6, 9.6)	7.7m (6.0, 9.2)	18.2m (15.9, NE)
CRS any Grade	14%	Not reported	92%
CRS \geq Grade 3	5%	Not reported	26%
Neurotox any Grade	65%	Not reported	87%
Neurotox \geq Grade 3	13%	Not reported	35%
Subsequent SCT post treatment	24%	41%	18%
Other notable observations	NA	14% Hepatic VoD	40% vasopressor use

1. Kantarjian et al., 2017/ USPI (product label) 2. Kantarjian et al., 2016/ USPI (product label) 3. Shah et al. Lancet 2021/ USPI (product label)


The estimates of EFS/PFS are read from the KM curves. The efficacy data in ZUMA-3 are based on the modified ITT population while the blinatumomab and inotuzumab data are based on the ITT population.

obe-cel has a unique mechanism of action


Fast off rate supports physiological engagement of target cells and avoids over-activation and exhaustion of CART cells

- AUTO1 is designed to improve potency and persistence while reducing immunological toxicity
- AUTO1 (CAT) binder with lower affinity for CD19
- Half-life of target interaction very short compared to Kymriah® (FMC63) binder:
 - AUTO1 = 9.8 seconds
 - Kymriah® = 21 minutes


Fast Off-Rate




Lentiviral Vector



Enhanced Cytotoxicity



Enhanced Proliferation



obe-cel shows consistent safety and efficacy across ALL studies

Data from 3 studies across range of age groups and patient conditions

	CARPALL # ¹ Peds ALL	ALLCAR19 # ² Adult ALL	FELIX 1b # ³ Adult ALL
n	14	20	16
ORR (CR & CRI) (95% CI)	86% (57%, 98%)	85% (62%, 97%)	75% (48%, 93%)
CRS ¹ ≥ Grade 3	0%	0%	0%
CRS ¹ any grade	93%	55%	56%
Neurotox ² ≥ Grade 3	7%	15%	6%
Neurotox ² any Grade	50%	20%	13%
Median Age	9	42	42
Bone marrow blast >20% at LD	21%	60%	75%
Bone marrow blast <5% at LD	71%	35%	25%
Prior blinatumomab	7%	25%	56%

¹ CRS grading based on Lee et al (2014) for CARPALL and ALLCAR19, and ASTCT grading (Lee et al 2019) for FELIX

² Neurotoxicity grading based on CTCAE v4.03 for CARPALL and ALLCAR19, and ASTCT ICANS grading (Lee et al 2019) for FELIX

#1 Ghorashian et al. Nature Medicine 2019


#2 Roddie et al. J Clin Oncol, 2021

#3 Culshaw et al, ASH 2021, abstract #477


obe-cel shows sustained event-free survival beyond 30 months

Long term CAR T persistence drives durability of effect

Median CAR T cell levels in peripheral blood



ALLCAR19 Event-Free Survival



Median (range) follow-up time: 29.3 months (range 0.6 – 41.5)

Median (95% CI) EFS: 12 months [2.8, NE]

EFS starting from Month 12 going forward: 46% (95% CI [23%, 67%])

obe-cel has the potential for a transformational therapy in adult ALL


Unique CAR T design drives differentiated product profile

- Obe-cel has a unique mechanism of action built on a fast-off rate from CD19 target antigen
- Obe-cel has a high ORR across all patient populations evaluated
- Obe-cel shows a sustained morphological EFS of 46% with a median follow-up of 29.3 months
- Long term CAR T persistence drives durability of effect
- Obe-cel has a favorable safety profile with no high-grade CRS and limited ICANS

obe-cel could potentially launch into an expanding ALL market

Blinicyto, current market leader, revenues show annual growth of c.15-20%

Reported Blincyto sales¹



- Blincyto sales price estimated to be \$178k³ (based on 2 cycles) supporting approx. 2,000 commercial adult ALL patients, growing at a rate of c.15-20%
- Kymriah is priced at \$475k in pediatric ALL. Breyanzi (lisocabtagene maraleucel) is priced at \$410k in DLBCL⁴. Tecartus is priced at \$399k for adult ALL.
- Breyanzi and other CAR T cell therapies are expanding delivery center footprint
- Tecartus (brexucabtagene autoleucel) is expected to establish CAR T use in adult ALL
- Obe-cel has the potential to be best in class curative therapy expanding use beyond academic transplant centers

NOTES

1. As per Amgen quarterly SEC filings

2. H2 2021 is not yet reported, this is just an extrapolation based on H1 2021 reported sales

3. <https://www.medscape.com/viewarticle/836879>

4. Bristol Myers finally wins FDA approval for cancer cell therapy | BioPharma Dive

– Komodo Health 2015 – 2020

FELIX Phase 2 study is under way with data expected in 2022

Obe-cel is the first Autolus program to move into a pivotal program

**Pivotal program,
FELIX, in adult ALL
enrolling with full data
targeted in 2022**

CTA approved by the
MHRA in January 2020
and US IND has been
open since April 2020

- Phase 1b run-in component, prior to single arm Phase 2 potential pivotal trial
- 100 relapsed/refractory adult ALL patients
- Primary endpoint: Overall Complete Response Rate (CR/CRi)
- Secondary endpoints: include MRD-negative CR EFS and DoR

Unique profile of obe-cel offers potential across broader indications

Evaluation of obe-cel activity in additional B-Cell malignancies to capitalize on potential market opportunity

PRODUCT	INDICATION	TARGET	STUDY NAME	PHASE
obe-cel	Adult ALL	CD19	FELIX	Pivotal
obe-cel	B-NHL & CLL	CD19	ALLCAR19*	Phase 1
obe-cel	Primary CNS Lymphoma	CD19	CAROUSEL*	Phase 1
AUTO1/22	Pediatric ALL	CD19 & CD22	CARPALL*	Phase 1

 B Cell Malignancies

* Collaboration with UCL

Opportunity to pursue in earlier lines of therapy and indications of Adult ALL

The background consists of a dark blue gradient with several large, semi-transparent blue circles of varying sizes. One large circle is on the left side, and another is in the top right corner. The text 'Pediatric ALL' is centered in the middle-right area.


Pediatric ALL

Autolus CAR T approach to treating pediatric ALL

CD19 negative antigen escape is a common cause of treatment failure

- obe-cel (AUTO1) in relapsed / refractory pediatric ALL is highly active and has a favourable safety profile - CARPALL study^{#1,2}
- Medical need in pediatric ALL is to minimize rates of antigen-loss–driven relapses and improve long-term outcomes – points to need for a dual targeting CAR-T
- CD22 is challenging to target with a CAR as it is a rigid bulky molecule, expressed at a low density and can be downregulated further in response to CD22 targeting^{#3}
- AUTO1/22 builds on obe-cel and adds a highly potent CD22 CAR, capable of targeting low levels of CD22

	CARPALL Study
n	14
CR Rate	86%
EFS 12m	52% (95% CI, 16% to 72%)
No. of CD19 negative relapses	5/6
CRS \geq G3	0%
NTX \geq G3	7%




#1 NCT02443831

#2 Ghorashian et al., Nat Med 2019

#3 Shah et al., JCO 2020, Spiegel et al., Nat Med 2021

AUTO1/22: enhanced in vivo anti-tumor efficacy


Dual targeting of CD19 and CD22 addresses CD19-negative target cells and enhances overall activity



AUTO1/22 – A dual targeting CAR T therapy

Currently being tested in pediatric ALL

- AUTO1/22 builds on excellent CD19 targeting of obo-cel with its high activity and good safety profile and adds potent second CAR to target CD22
- AUTO1/22 eliminates target cells that express low density CD22 molecules
- AUTO1/22 is effective in in-vivo models of CD19 negative escape
- AUTO1/22 is being evaluated in pediatric patients and data will be presented in 2022



B-NHL

Obe-cel

Favorable tolerability profile of obe-cel reproduced in B-NHL

No ICANS or severe CRS

AEs of Special Interest

Event N = 16 patients	All Grades n (%)	Grade 1 n (%)	Grade 2 n (%)	Grade 3 n (%)	Grade 4 n (%)
CRS*	9 (56%)	6 (38%)	3 (19%)	0	0
ICANS	0	0	0	0	0


*CRS grading by Lee et al 2018

Data cut: 15-OCT-2021

- Consistent safety profile for obe-cel across indications tested
 - No ICANS
 - No high grade CRS

obe-cel shows excellent T cell expansion and engraftment

ALLCAR19 – B-NHL Patients



CAR, chimeric antigen receptor; VCN, vector copy number; qPCR, quantitative polymerase chain reaction, CV% , coefficient of variation

Cmax (CAR transgene per ug gDNA)

n	9
Mean	336234
CV%	50.2%


Time to Cmax (Days)

n	9
Median	9
Range	7-17

Time last measurable in Blood (Days)

n	9
Median	228
Range	122-274

obe-cel shows encouraging efficacy and duration of response in NHL/CLL



	N (%)
Follicular Lymphoma	
CR + PR	7 (100%)
CR	7 (100%)
DLBCL	
CR + PR	3 (100%)
CR	3 (100%)
Pending	1
MCL	
CR + PR	3 (100%)
CR	3 (100%)
CLL/SLL	
CR + PR	1 PR (BM MRD-neg.)
Pending	1
Non-Response	0
Relapse	1 (MCL at 6 mos)

Median (Range) Follow-Up Time:

- FL/DLBCL: 11.8 Months (Range 2.0-14.2)
- MCL/CLL: 7.4 Months (Range 1.1-14.8)

Data cut: 15-OCT-2021
DLBCL* = transformed follicular lymphoma

Summary and next steps for obe-cel in B-NHL

- Favorable safety profile in B-NHL with no ICANS or severe Grade ≥ 3 CRS events, consistent with safety profile observed in r/r B-ALL
- Out of 14 patients evaluable for efficacy, 100% ORR and 13/14 (93%) in complete metabolic response
- Long term persistence of obe-cel demonstrated by qPCR
- 15/16 patients are ongoing without disease progression
 - 6/7 FL patients in CR for more than 10 months (10-14 months), 1 patient died in CR from COVID
 - Longer follow-up and enrolment of additional DLBCL and CLL patients ongoing, further data planned for Q1 2022


Pipeline

A broad portfolio of next generation modular T cell therapies

T Cell Lymphoma

No standard of care after first relapse and no T cell therapy approved


Three key elements to address T cell lymphomas:
AUTO4, AUTO5 and a companion diagnostic test



- T cell lymphoma is an aggressive disease with a very poor prognosis for patients
- Median 5 yrs OS: 32%
- Standard of care is variable and often based on high-dose chemotherapy and stem cell transplants
- A large portion of T cell lymphoma patients are refractory to or relapsed following treatment with standard therapies
- T cell lymphomas have not, so far, benefited from advances in immunotherapeutic approaches
- AUTO4 Phase 1 interim data expected in H1 2022

A broad toolkit which is core to our strategy of modular innovation

Advanced T cell programming



Next generation programs

Designed to address limitations of current T cell therapies

PRODUCT	INDICATION	TARGET	STUDY NAME	PHASE
AUTO1/22	Pediatric ALL	CD19 & CD22	CARPALL*	Phase 1
AUTO4	TRBC1+ Peripheral TCL	TRBC1	LibrA T1	Phase 1/2
AUTO5	TRBC2+ Peripheral TCL	TRBC2		Preclinical
AUTO6NG	Neuroblastoma; Other tumor types	GD2		Preclinical
AUTO8	Multiple Myeloma	BCMA & CD19	MCARTY*	Phase 1

B Cell Malignancies

T-Cell Lymphoma

Solid Tumors

Multiple Myeloma

* Collaboration with UCL

The background is a solid dark blue color. On the left side, there is a large, lighter blue circle that is partially cut off by the edge of the frame. In the top right corner, there is a smaller, darker blue circle, also partially cut off.

Blackstone Collaboration

Blackstone Life Sciences to invest up to \$250m to develop obe-cel in adult ALL

Investment of \$100m in equity and up to \$150 million in product financing

- Blackstone agreed to purchase \$100 million of Autolus' American Depositary Shares (ADS') in a private placement
- Blackstone also committed to invest up to \$150 million in product financing to support obe-cel development and commercialization
 - \$50 million payable upon closing of the transaction
 - Remainder payable based on achievement of certain development and regulatory milestones
- Blackstone will receive a warrant to purchase up to \$24 million worth of Autolus ADSs at an exercise price premium to market
- Autolus agreed to pay Blackstone a capped single digit royalty plus milestone payments based on worldwide net sales of obe-cel
- Fully funds development and filing of obe-cel in r/r adult ALL, as well as funding commercial and manufacturing infrastructure build
- Transaction strengthens balance sheet and provides runway into 2024¹

NOTES

1. Assuming all milestones received

The background features a dark blue gradient with several large, overlapping circles in various shades of blue. A prominent bright blue circle is on the left side, and a darker blue circle is in the top right corner.

Next Steps

Autolus poised for potential value inflection

obe-cel pivotal data in adult ALL in 2022

obe-cel

- FELIX Phase 2 study in adult ALL full data expected in 2022
- Evaluation in relapsed/refractory B-NHL and CLL ongoing, with next data update expected in H1 2022
- Evaluation in Primary CNS Lymphoma ongoing with initial data update expected in Q1 2022

AUTO1/22

- Pediatric ALL – AUTO1/22 Phase initial 1 data expected in H1 2022 and longer follow-up data in H2 2022

Pipeline

- AUTO4: Peripheral T cell lymphoma - interim phase 1 data expected in H1 2022
- AUTO6NG: Neuroblastoma – start phase 1 in H1 2022
- AUTO8: Multiple Myeloma – start phase 1 in H1 2022

Cash balance at September 30, 2021, \$173.1 million:

- +\$25M R&D tax credit received in October 2021
- +\$150M from Blackstone in November 2021
- Cash runway including project financing payments from Blackstone into 2024

Thank you

